Part VI: Summary of the risk management plan

Summary of risk management plan Doxorubicin 2 mg/ml Concentrate for Solution for Infusion (Doxorubicin)

This is a summary of the risk management plan (RMP) for Doxorubicin 2 mg/ml Concentrate for Solution for Infusion. The RMP details important risks of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion, how these risks can be minimised, and how more information will be obtained about Doxorubicin 2 mg/ml Concentrate for Solution for Infusion and uncertainties (missing information).

Doxorubicin 2 mg/ml Concentrate for Solution for Infusion's summary of product characteristics (SmPC) and its package leaflet give essential information to healthcare professionals and patients on how Doxorubicin 2 mg/ml Concentrate for Solution for Infusion should be used.

Important new concerns or changes to the current ones will be included in updates of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion's RMP.

I. The medicine and what it is used for

Doxorubicin 2 mg/ml Concentrate for Solution for Infusion is indicated in the neoplastic conditions including small-cell lung cancer (SCLC), breast cancer, advanced ovarian carcinoma, intravesically for bladder cancer, neoadjuvant and adjuvant therapy of osteosarcoma, advanced soft-tissue sarcoma in adults, ewing's sarcoma, hodgkin's disease, non-hodgkin's lymphoma, acute lymphatic leukaemia, acute myeloblastic leukaemia, advanced multiple myeloma, advanced or recurrent endometrial carcinoma, wilms' tumour, advanced papillary/follicular thyroid cancer, anaplastic thyroid cancer and advanced neuroblastoma.

Doxorubicin is frequently used in combination chemotherapy regimens with other cytotoxic drugs.

It contains doxorubicin hydrochloride as the active substance, and it is administered intravenously and intravesically.

II. Risks associated with the medicine and activities to minimise or further characterise the risks

Important risks of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion, together with measures to minimise such risks and the proposed studies for learning more about

The data and conclusions included in this report are confidential and proprietary information of Marketing Authorization Holder.

Doxorubicin 2 mg/ml Concentrate for Solution for Infusion's risks, are outlined below.

Measures to minimise the risks identified for medicinal products can be:

- Specific information, such as warnings, precautions, and advice on correct use, in the package leaflet and SmPC addressed to patients and healthcare professionals;
- Important advice on the medicine's packaging;
- The authorised pack size - the amount of medicine in a pack is chosen so to ensure that the medicine is used correctly;
- The medicine's legal status - the way a medicine is supplied to the patient (e.g. with or without prescription) can help to minimise its risks.

Together, these measures constitute routine risk minimisation measures.

In addition to these measures, information about adverse reactions is collected continuously and regularly analysed including signal management activity, so that immediate action can be taken as necessary. These measures constitute routine pharmacovigilance activities.

II.A List of important risks and missing information

Important risks of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion are risks that need special risk management activities to further investigate or minimise the risk, so that the medicinal product can be safely administered. Important risks can be regarded as identified or potential. Identified risks are concerns for which there is sufficient proof of a link with the use of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion. Potential risks are concerns for which an association with the use of this medicine is possible based on available data, but this association has not been established yet and needs further evaluation. Missing information refers to information on the safety of the medicinal product that is currently missing and needs to be collected (e.g. on the long-term use of the medicine).

Important identified risks	• None
Important potential risks	• None
Missing Information	• None

The data and conclusions included in this report are confidential and proprietary information of Marketing Authorization Holder.

II.B Summary of important risks

The safety information in the proposed Product Information is aligned to the reference medicinal product.

II.C Post-authorisation development plan

II.C.1 Studies which are conditions of the marketing authorisation

There are no studies which are conditions of the marketing authorization or specific obligation of Doxorubicin 2 mg/ml Concentrate for Solution for Infusion.

II.C.2 Other studies in post-authorisation development plan

There are no studies required for Doxorubicin 2 mg/ml Concentrate for Solution for Infusion as post-authorisation development plan.

The data and conclusions included in this report are confidential and proprietary information of Marketing Authorization Holder.